



## Texas Department of Criminal Justice

Bryan Collier  
Executive Director

September 28, 2018

Lauren McGaughy  
Via: [lmcgaughy@dallasnews.com](mailto:lmcgaughy@dallasnews.com)

RE: Your Public Information Request Dated August 30, 2018

Dear Ms. McGaughy:

On August 30, 2018, the Texas Department of Criminal Justice (TDCJ) received your request under Chapter 552 of the Texas Government Code, the *Public Information Act* (PIA) seeking *historical temperature logs for inside the unit at Hutchins State Jail between June 1, 2011 and June 1, 2014.*

Enclosed please find a copy of the releasable information that is responsive to your request. The request is now closed and no further action will be taken. If you have any questions about the request, please feel free to contact this office at the number listed below.

Please note that any records released may contain deidentified confidential personal identifying information. Any attempt to reidentify personal identifying information may result in civil liability and constitute a criminal offense punishable by up to one year confinement, a \$4,000 fine, or both.

Sincerely,

A handwritten signature in blue ink, appearing to read "N. Morrell", written over a light blue horizontal line.

Nicholas Morrell  
Assistant General Counsel

NAM/ZZT

---

*Our mission is to provide public safety, promote positive change in offender behavior, reintegrate offenders into society, and assist victims of crime.*

Office of the General Counsel

Sharon Felfe Howell, General Counsel – [Sharon.Howell@tdcj.texas.gov](mailto:Sharon.Howell@tdcj.texas.gov)

P.O. Box 13084 Capitol Station  
Austin, Texas 78711-3084  
Phone (512) 463-9899, FAX (512) 936-2159

P.O. Box 4004  
Huntsville, Texas 77342-4004  
Phone (936) 437-6700, FAX (936) 437-6994

[www.tdcj.texas.gov](http://www.tdcj.texas.gov)

## Shift Temperature Log Book

Outside Temp	Temperature	Time Taken	Temperature	Time Taken
	89	0900	101	1400

S. [Signature]  
Shift Supervisor's Signature

6/29/12  
Date


Document dorm Temperatures twice per shift

# 2nd Shift Temperature Log Book

## Hutchins Unit

Building	Dorm/Corridor Temperature								Time	Officers Initials
A 1-4 Building	95°	94°	93°	94°	93.2	92.4	93.9	94.0	1635	2021 C/L/D
A 5-8 Building	98°	96°	95°	96°	91.7	92.1	94.5	96.9	1625	2030 C/L/D
B 1-4 Building	93°	94°	94°	94°	90.1	91.6	91.2	91.8	1615	2048 C/L/D
B 5-8 Building	95°	96°	95°	94°	91.4	91.5	91.5	91.2	1605	2045 C/L/D
C 1-4 Building	96°	96°	96°	96°	90.1	90.8	91.7	91.8	1450	2106 C/L/D
C 5-8 Building	96°	97°	96°	97°	90.9	91.9	91.5	92.1	1500	2100 C/L/D
D 1-4 Building	96°	95°	94°	96°	91	91.9	91.7	91.2	1515	2116 C/L/D
E 1-4 Building	98°	97°	97°	96°	90.9	91.7	92.1	91.7	1530	2112 C/L/D
F 1-4 Building	94°	96°	95°	96°	90.8	91.5	91.5	91.6	1545	2052 E/L/D
K 1A Building	88°				71.9				1655	2120 C/L/D
K 1A Building										
K 2-5 Building	78°	76.7	73°	75.2	76°	74	76°	73.5	1655	2125 C/L/D

  
Officers Signature

6/29/12  
  
Date

Shift Supervisor's Signature

Date



Document dorm Temperatures twice per shift

# 13 Shift Temperature Log Book

## Hutchins Unit

Dorm/Corridor Temperature / Time Taken									
A1	A2	A3	A4	A5	A6	A7	A8	A9	A10
Temp: 80.2 Time: 0840	Temp: 89.4 Time: 0947	Temp: 90.4 Time: 0949	Temp: 87.9 Time: 0957	Temp: 87.9 Time: 0957	Temp: 87.9 Time: 0957	Temp: 87.9 Time: 0957	Temp: 87.9 Time: 0957	Temp: 87.9 Time: 0957	Temp: 87.9 Time: 0957
A5	A6	A7	A8	A9	A10	A11	A12	A13	A14
Temp: 88.02 Time: 1012	Temp: 88.16 Time: 1014	Temp: 87.9 Time: 1021	Temp: 87.9 Time: 1023	Temp: 87.9 Time: 1023	Temp: 87.9 Time: 1023	Temp: 87.9 Time: 1023	Temp: 87.9 Time: 1023	Temp: 87.9 Time: 1023	Temp: 87.9 Time: 1023
B1	B2	B3	B4	B5	B6	B7	B8	B9	B10
Temp: 87.43 Time: 1028	Temp: 87.4 Time: 1032	Temp: 87.2 Time: 1034	Temp: 87.3 Time: 1039	Temp: 87.3 Time: 1039	Temp: 87.3 Time: 1039	Temp: 87.3 Time: 1039	Temp: 87.3 Time: 1039	Temp: 87.3 Time: 1039	Temp: 87.3 Time: 1039
B5	B6	B7	B8	B9	B10	B11	B12	B13	B14
Temp: 80.1 Time: 0839	Temp: 80.8 Time: 1003	Temp: 80.2 Time: 1004	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10
Temp: 80.6 Time: 1144	Temp: 82.4 Time: 1149	Temp: 82.3 Time: 1203	Temp: 82.0 Time: 1210	Temp: 82.0 Time: 1210	Temp: 82.0 Time: 1210	Temp: 82.0 Time: 1210	Temp: 82.0 Time: 1210	Temp: 82.0 Time: 1210	Temp: 82.0 Time: 1210
C5	C6	C7	C8	C9	C10	C11	C12	C13	C14
Temp: 89.3 Time: 1214	Temp: 85.6 Time: 1218	Temp: 85.9 Time: 1223	Temp: 85.9 Time: 1230	Temp: 85.9 Time: 1230	Temp: 85.9 Time: 1230	Temp: 85.9 Time: 1230	Temp: 85.9 Time: 1230	Temp: 85.9 Time: 1230	Temp: 85.9 Time: 1230
D1	D2	D3	D4	D5	D6	D7	D8	D9	D10
Temp: 81.5 Time: 1056	Temp: 87.9 Time: 1058	Temp: 90.3 Time: 1103	Temp: 91.6 Time: 1106	Temp: 91.6 Time: 1106	Temp: 91.6 Time: 1106	Temp: 91.6 Time: 1106	Temp: 91.6 Time: 1106	Temp: 91.6 Time: 1106	Temp: 91.6 Time: 1106
E1	E2	E3	E4	E5	E6	E7	E8	E9	E10
Temp: 80.3 Time: 1112	Temp: 82.3 Time: 1119	Temp: 81.3 Time: 1123	Temp: 81.0 Time: 1126	Temp: 81.0 Time: 1126	Temp: 81.0 Time: 1126	Temp: 81.0 Time: 1126	Temp: 81.0 Time: 1126	Temp: 81.0 Time: 1126	Temp: 81.0 Time: 1126
F1	F2	F3	F4	F5	F6	F7	F8	F9	F10
Temp: 86.9 Time: 1043	Temp: 87.4 Time: 1044	Temp: 87.4 Time: 1046	Temp: 87.4 Time: 1049	Temp: 87.4 Time: 1049	Temp: 87.4 Time: 1049	Temp: 87.4 Time: 1049	Temp: 87.4 Time: 1049	Temp: 87.4 Time: 1049	Temp: 87.4 Time: 1049
K1	K2	K3	K4	K5	K6	K7	K8	K9	K10
Temp: 80.1 Time: 0839	Temp: 80.8 Time: 1003	Temp: 80.2 Time: 1004	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008	Temp: 80.2 Time: 1008

Outside Temp	Temperature	Time Taken	Temperature	Time Taken
	100.9	1246		


 Officers Signature

04/30/12

Date

S. J. H.

Shift Supervisor's Signature

6/30/12

Date

# 2nd Shift Temperature Log Book

## Hutchins Unit

Room		Temp		Time		Temp		Time		Temp		Time		Temp		Time		Temp		Time		Temp		Time	
A1-Building		A1		A2		A3		A4		A5		A6		A7		A8		A9		A10		A11		A12	
Temp	96.4	Temp	94.9	Temp	94.2	Temp	95.1	Temp	94.9	Temp	90.6	Temp	90.7	Temp	89.9	Temp	88.9	Temp	89.6	Temp	91.1	Temp	90.9	Temp	90.8
Time	14:54	Time	15:00	Time	15:01	Time	15:08	Time	14:49	Time	20:17	Time	20:18	Time	20:39	Time	20:40	Time	20:30	Time	20:31	Time	20:15	Time	20:15
A5-Building		A5		A6		A7		A8		A9		A10		A11		A12		A13		A14		A15		A16	
Temp	96.3	Temp	95.3	Temp	94.1	Temp	94.9	Temp	94.4	Temp	89.9	Temp	88.9	Temp	89.8	Temp	90.8	Temp	90.6	Temp	89.4	Temp	89.8	Temp	90.8
Time	14:44	Time	14:42	Time	14:40	Time	14:49	Time	14:37	Time	20:39	Time	20:40	Time	20:42	Time	20:43	Time	20:42	Time	20:43	Time	20:43	Time	20:43
B1-Building		B1		B2		B3		B4		B5		B6		B7		B8		B9		B10		B11		B12	
Temp	93.3	Temp	95.3	Temp	94.6	Temp	93.7	Temp	94.4	Temp	89.5	Temp	89.6	Temp	89.4	Temp	90.1	Temp	90.1	Temp	89.4	Temp	89.8	Temp	90.1
Time	14:31	Time	14:33	Time	14:35	Time	14:37	Time	14:37	Time	20:30	Time	20:35	Time	20:31	Time	20:32	Time	20:32	Time	20:31	Time	20:43	Time	20:43
B5-Building		B5		B6		B7		B8		B9		B10		B11		B12		B13		B14		B15		B16	
Temp	94.8	Temp	96.1	Temp	95.7	Temp	94.4	Temp	95.2	Temp	91.2	Temp	90.3	Temp	89.6	Temp	90.1	Temp	90.1	Temp	89.4	Temp	89.8	Temp	90.1
Time	18:04	Time	18:06	Time	18:08	Time	18:12	Time	18:12	Time	20:21	Time	20:20	Time	20:35	Time	20:36	Time	20:36	Time	20:31	Time	20:43	Time	20:43
C1-Building		C1		C2		C3		C4		C5		C6		C7		C8		C9		C10		C11		C12	
Temp	95.4	Temp	96.4	Temp	95.4	Temp	95.5	Temp	95.5	Temp	88.8	Temp	88.9	Temp	89.4	Temp	88.0	Temp	88.0	Temp	89.4	Temp	89.8	Temp	88.0
Time	15:43	Time	15:44	Time	15:45	Time	15:47	Time	15:47	Time	20:24	Time	20:23	Time	20:21	Time	20:20	Time	20:20	Time	20:21	Time	20:43	Time	20:20
C5-Building		C5		C6		C7		C8		C9		C10		C11		C12		C13		C14		C15		C16	
Temp	96.4	Temp	96.5	Temp	95.4	Temp	95.9	Temp	95.9	Temp	90.4	Temp	90.3	Temp	89.8	Temp	89.8	Temp	89.8	Temp	89.4	Temp	89.8	Temp	88.0
Time	18:02	Time	18:05	Time	18:05	Time	18:08	Time	18:08	Time	20:30	Time	20:31	Time	20:28	Time	20:28	Time	20:28	Time	20:21	Time	20:43	Time	20:20
D1-Building		D1		D2		D3		D4		D5		D6		D7		D8		D9		D10		D11		D12	
Temp	95.4	Temp	95.5	Temp	95.5	Temp	95.6	Temp	95.6	Temp	89.6	Temp	89.7	Temp	89.9	Temp	89.9	Temp	89.9	Temp	89.4	Temp	89.8	Temp	89.8
Time	18:53	Time	18:54	Time	18:54	Time	18:56	Time	18:56	Time	20:59	Time	20:58	Time	20:52	Time	20:52	Time	20:52	Time	20:21	Time	20:43	Time	20:20
E1-Building		E1		E2		E3		E4		E5		E6		E7		E8		E9		E10		E11		E12	
Temp	94.6	Temp	95.5	Temp	95.2	Temp	95.4	Temp	95.4	Temp	89.6	Temp	89.7	Temp	89.9	Temp	89.9	Temp	89.9	Temp	89.4	Temp	89.8	Temp	89.8
Time	18:49	Time	18:50	Time	18:52	Time	18:54	Time	18:54	Time	20:57	Time	20:58	Time	20:52	Time	20:52	Time	20:52	Time	20:21	Time	20:43	Time	20:20
F1-Building		F1		F2		F3		F4		F5		F6		F7		F8		F9		F10		F11		F12	
Temp	94.8	Temp	95.8	Temp	95.9	Temp	94.5	Temp	94.5	Temp	89.6	Temp	89.7	Temp	89.9	Temp	89.9	Temp	89.9	Temp	89.4	Temp	89.8	Temp	89.8
Time	14:48	Time	14:51	Time	14:52	Time	14:54	Time	14:54	Time	20:57	Time	20:58	Time	20:52	Time	20:52	Time	20:52	Time	20:21	Time	20:43	Time	20:20
K1-Building		K1		K2		K3		K4		K5		K6		K7		K8		K9		K10		K11		K12	
Temp	77.2	Temp	74.9	Temp	74.9	Temp	74.9	Temp	74.9	Temp	89.6	Temp	89.7	Temp	89.9	Temp	89.9	Temp	89.9	Temp	89.4	Temp	89.8	Temp	89.8
Time	16:12	Time	16:14	Time	16:15	Time	16:17	Time	16:17	Time	20:45	Time	20:46	Time	20:46	Time	20:46	Time	20:46	Time	20:21	Time	20:43	Time	20:20
K2-Building		K2		K3		K4		K5		K6		K7		K8		K9		K10		K11		K12		K13	
Temp	76.5	Temp	74.9	Temp	74.9	Temp	74.9	Temp	74.9	Temp	89.6	Temp	89.7	Temp	89.9	Temp	89.9	Temp	89.9	Temp	89.4	Temp	89.8	Temp	89.8
Time	16:15	Time	16:14	Time	16:15	Time	16:17	Time	16:17	Time	20:45	Time	20:46	Time	20:46	Time	20:46	Time	20:46	Time	20:21	Time	20:43	Time	20:20

Outside Temp	Temp: 99.7 Time: 14:31	Temp: 89.1 Time: 20:05
	Temp: 74.9 Time: 16:15	Temp: 73.9 Time: 20:46

*E. Hall*  
Officers Signature

6:30:12  
Date

*[Signature]*  
Shift Supervisor's Signature

6/30/12  
Date



[illegible]

## Hot Weather Checklist



### Dorm Temperature

A1-4	A5-8	B1-4	B5-8	C1-4
93, 92, 94, 97	95, 96, 97, 98	92, 91, 91, 92	92, 91, 93, 93	93, 94, 93, 96
C5-8	D1-4	E1-4	F1-4	K1-5
94, 93, 96, 94	94, 96, 91, 96	94, 91, 94, 95	91, 93, 91, 92	92, 91, 92, 93, 92

Comments




---



---



---



---

T. Hernandez  
Signature

8-7-11  
Date

# Hot Weather Checklist

## Dorm Temperature

A1-4				B1-4				B5-8				C1-4			
1	2	3	4	1	2	3	4	5	6	7	8	1	2	3	4
1	188.5	182.3	90	180.1	189.2	1	87	187.9	1	187.5	189.2	84.3	182.9		
C5-8				D1-4				E1-4				F1-4			
5	6	7	8	1	2	3	4	1	2	3	4	1	2	3	4
185.1	185.5	87.1	188.2	84.5	84.7	87.2	1	87.9	1	188.2	77.1	182.1	1		

## Comments:



08.08.11

Date



## Hot Weather Checklist

### Dorm Temperature

A1-4	A5-8	B1-4	B5-8	C1-4
1 2 3 4	5 6 7 8	1 2 3 4	5 6 7 8	1 2 3 4
88/89/89/86	88/85/88/88	88/87/88/88	86/88/89/88	89/89/89/89
C5-8	D1-4	E1-4	F1-4	K1-5
5 6 7 8	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4 5
86/87/88/89	89/89/89/90	89/89/89/89	89/87/87/89	88/86/85/88/88

Comments:

---

---


---

---

---



Signature



Date

## Hot Weather Checklist

### Dorm Temperature

A1-4	A5-8	B1-4	B5-8	C1-4
1 2 3 4 91 187	5 6 7 8 92 190	1 2 3 4 86 185	5 6 7 8 91 191	1 2 3 4 91 192
C5-8	D1-4	E1-4	F1-4	K1-5
5 6 7 8 92 191	1 2 3 4 1 193	1 2 3 4 83 185	1 2 3 4 85 185	1 2 3 4 5 1 1 1 1

Comments:

---



---



---



---



Signature

8/10/11

Date

1st shift  
DeMare

## Hot Weather Checklist



### Dorm Temperature

A1-4				A5-8				B1-4				B5-8				C1-4				
1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8	1	2	3	4	
87	86	85	86	85	86	86	86	85	86	86	87	86	85	86	85	82	83	82	84	
C5-8				D1-4				E1-4				F1-4				K1-5				
5	6	7	8	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	5
85	84	85	86	85	86	85	85	86	86	86	85	82	83	82	82	79	81	86	86	86

Comments:




---



---



---



---

Signature

8-11-11

Date



## Hot Weather Checklist



### Dorm Temperature

A1-4				A5-8				B1-4				B5-8				C1-4				
1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8	1	2	3	4	
186/85/				186/86/				186/86/				185/86/				183/82				
C5-8				D1-4				E1-4				F1-4				K1-5				
5	6	7	8	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	5
8/185/				186/86/				183/82/				/ / /				187 186/				

Comments:




---

---

---

---

  
Signature

8-12-11  
Date

8-25-11

## Hot Weather Checklist

### Dorm Temperature

A1-4	A5-8	B1-4	B5-8	C1-4
1 2 3 4 87 89 /	5 6 7 8 86 87 /	1 2 3 4 87 85 /	5 6 7 8 89 87 /	1 2 3 4 86 87 /
C5-8	D1-4	E1-4	F1-4	K1-5
5 6 7 8 86 87 /	1 2 3 4 86 87 /	1 2 3 4 86 85 /	1 2 3 4 87 / 86	1 2 3 4 5 / / / /


Comments:

---

---

---

---

  
Signature


8/25/11  
Date


## Hot Weather Checklist

### Dorm Temperature

A1-4				A5-8				B1-4				B5-8				C1-4				
1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8	1	2	3	4	
1 11111101				1001011 1				1 198198				9911011 1				1 1991101				
C5-8				D1-4				E1-4				F1-4				K1-5				
5	6	7	8	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	5
1 198199				1 1991101				1 198198				991981 1				100110110199198				

Comments:

  
Signature

  
Date



## Hot Weather Checklist

### Dorm Temperature

A1-4	A5-8	B1-4	B5-8	C1-4
1 2 3 4 93 93 92 91	5 6 7 8 94 94 94 92	1 2 3 4 92 93 93 93	5 6 7 8 95 94 95 93	1 2 3 4 91 91 92 92
C5-8	D1-4	E1-4	F1-4	K1-5
5 6 7 8 93 94 94 95	1 2 3 4 93 94 94 92	1 2 3 4 94 95 93 93	1 2 3 4 96 96 97 95	1 2 3 4 5 88 88 88 83 88

Comments:

---

---

---

---

---

Sgt. [Signature]  
Signature

8/28/11  
Date

## Hot Weather Checklist



### Dorm Temperature

A1-4				A5-8				B1-4				B5-8				C1-4				
1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8	1	2	3	4	
103	1	1	99	110	1	1	102	101	1	99	1	101	1	100	1	98	1	1	102	
C5-8				D1-4				E1-4				F1-4				K1-5				
5	6	7	8	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	5
1	1	103	101	102	101	1	1	1	103	102	1	101	1	103	1	1	18	4	1	85

Comments:

---



---




---



---



---

  
Signature

9-2-11  
Date